

Policy Name: Proof of Immunization Compliance

Policy Number: 2.034

Effective Date: June 1, 2007

Date of Last Revision: July 24, 2019

Functional Area: Student Services

Proof of Immunization Compliance

(Louisiana R.S. 17:170 Schools of Higher Learning) (Louisiana ACT 394 and 711 — NLTCC Policy 2.034) (LCTCS SA200.34)

Name Last			First			Middle		(Jr, Sr, etc.)	
ocial Security Number:			Date of Birth//			_ Banner/Student ID#: _			
hysician/Heal hysician Com		Provider Verifi	cation: (see other side)					
Measles (Rubeola)	Date	Rubella	Date	Mumps	Date	Tetanus- Diptheria	Date	Meningitis	Date
1 st Immunization: and		Immunization: or		Immunization: or		Immunization:		1 st Immunization: (w/in 10 years)	
2 nd Immunization or		Serologic Test Result		Disease Diagnosis or				2 nd Immunization: (w/in 10 years)	
Disease Diagnosis or				Serologic Test				Serologic Test	
Serologic Test Result:				Result:				Result:	
ignature of phy		r health care pro	vider	Date			_		

WAIVER OF MENINGITIS VACCINATION AND RELEASE FROM RESPONSIBILITY:

INFORMATION S	STATEMENT AN BE NEGATIVEL	D UNDERSTAND AFFECTED AND	THE POSSIBLE AND F	ASE CONTROL AND PREVI PROBABLE ADVERSE CON NDANGERED BY NOT REC	SEQUENCES. I UN	IDERSTAND THAT MY	
personal religious		,	•	ment verifying that I have on the campus for course		the vaccine but could	not find any)
		_	of majority and to be i	mentally competent. I he	reby assume full	responsibility for any	and all
				d the Department of Hea ancial responsibility as a			ending health
I certify that I had blanks filled in b			nd that I fully underst	and this release from resp	oonsibility. All ex	planations were made	e to me and all
month day	nth day year time printed name		printed name				
Medical reaso I understand that	at if I claim exe	nption for person rubella until t	n's statement. 2. Pers	eck the appropriate responsed in the second reason; state reason not be excluded from the submit proof of in the s	on lines below.	om classes in the eve	nt of an
Student signature		date		parent/guardian signatu	re (if required)	date	
Student's Si	ignature		Date	Physician's signatu	ure if medical	exemption reque	sted
For Official	Use Only:						
☐ Student	has obtained o	redit of 12+ hou	ırs at prior school 🏻 🛚	☐ H. S. Student ☐	NC Classes	Prisoner	

Return this form to the enrollment or admissions department at your college.

Louisiana law requires immunization against measles, mumps, rubella, Meningococcal Disease, and tetanus-diphtheria for all first time Louisiana Community and Technical College System students born after 1956.

To all first-time freshmen regardless of age:

Where to locate your immunization record(s): Your immunization (shot) record may be found in your family records, such as a baby book, or in a booklet that may have been written in by your doctor or public health clinic provider each time you received a vaccination. You may want to check for records with your doctor or public health clinic. Keep in mind, however, that immunization records are maintained for a variable number of years and then usually only by the medical provider who actually administered the vaccines to you.

As a last resort, and if you are a graduating high school senior, school personnel may be able to locate immunization records in your cumulative or health folder before your graduation. After you graduate, records are sent to storage and may not be accessible. Shot records or reasonably authentic copies of records (such as those from a baby book or school health record), which indicate specific information such as your name, date of birth, and the dates of the shots you had, should be acceptable documentation of the immunizations you received previously.

These records should be taken with you to your doctor or a local public health clinic for a possible up-date of your immunization status. A visit to your doctor or public health clinic will be needed to have your Proof of Compliance form signed and/or to interpret your old records in view Of changes in health care standards since your early childhood. Take care of this important matter as soon as you can, and most certainly before registration.

To the physician or medical provider:

Please do not sign this compliance form unless the student has proper vaccines or immune tests.

The following guidance is presented for the purpose Of implementing the requirements of Louisiana R.S. 17:170, and of meeting the established recommendations for control of vaccine-preventable diseases as recommended by the American Academy of Pediatrics (AAP); the Advisory Committee on Immunization Practices to the United States Public Health Service (ACIP); and the American College Health Association (ACHA).

Louisiana R.S. 17:170 requirements: Two (2) doses of measles vaccine; at least one (1) dose each of rubella and mumps vaccine; one (I) tetanus-diptheria booster; two (2) meningococcal vaccines.

Measles requirement: Two (2) doses of live vaccine given at any age, except the vaccine must have been given on or after the first birthday in 1968 or later, and without immune globulin. A second dose of measles vaccine must meet this same requirement but should not have been given within 30 days of the first dose. A history of physician-diagnosed measles is acceptable for establishing immunity but should be accepted with caution unless you were the diagnosing physician.

Tetanus-diptheria requirement: A booster dose of the vaccine given within the past ten (10) years. Students can be considered to have completed a primary series earlier in life, unless they state otherwise.

Meningococcal vaccine requirement: Two (2) doses within the past ten (10) years with the doses being at least 8 weeks apart.

NOTE: In vaccine) and a dose of tetanus-diptheria (Td, adult type). In cases where no records can be located, or especially when immunization in the past is doubtful, two doses of MMR separated by a minimum of 30 days may be indicated. Evidence of vaccination or immunity against measles, rubella, mumps, tetanus-diptheria can be established by either reviewing a previous written record of vaccination or administering the vaccine at present.

Serologic testing is acceptable evidence of immunity, but should not be routinely performed unless specifically requested by the patient, and if testing is appropriate or available. Practically speaking, immunization is preferable to serologic testing because of the relative costs and time. In all instances when vaccine administration is considered, MMR and tetanus-diptheria are the products of choice for use in adults unless a specific contraindication is present.